

# USB 3.0 cable AB PREMIUM Quality 50cm

**Product number** 85065  
**Length** 500mm



## Product description

USB 3.0 cable, 50cm, PREMIUM quality, gold plated contacts, AWG24/28, double shielded, Super Speed Mode (max. 5Gbps), USB3 A plug male to USB3 B plug male, colour: black

## Technical details

- USB 3.0 cable type A-to-B
- Length 0.5 metres | 50cm
- Male USB 3.0 A plug to male USB 3.0 B plug
- PREMIUM quality
- gold-plated contacts
- UL 20276 cable material (Copartner E119932-U), 80°C 30V VW-1
- Super-Speed USB 3.0 compatible
- shielding with drainwire
- Data wires twisted pair
- Wire gauges: AWG24 (power) AWG28 (data) = (1P\*28# +D+AL+ Mylar)\*2C+1P\*28#+2C\*24# +AL+B
- Construction AWG24: 7/0.20 plus/minus 0.008mm (tinned copper)
- Construction AWG28: 7/0.127 plus/minus 0.008mm (tinned copper)
- Drainwire 30AWG 7/0.10 plus/minus 0.008mm (tinned copper)
- Braided shielding: 16\*7/0.10 plus/minus 0.008mm (tinned copper)
- Foil shielding with 100% coverage and 25% overlap
- Outer diameter: 6.00 plus/minus 0.15mm
- Contact carrier in blue according to USB 3.0 standard
- Suitable for data transfer rates of up to 5.0 Gbit/s
- Double shielding (foil shield and braided shield)
- Colour: black
- CE, WEEE, RoHS compliant

## More images



