

# Parallel to USB Reverse Adapter: DB25 male to USB B male, LPT2USB, international version

**Product number** USB-0530-AK



## Product description

PARALLEL USB REVERSE adapter: to use USB printer attached to parallel port (LPT-to-USB, LPT2USB), DB25 male to USB plug type B, no software required, incl. power supply

## Key Features

- LPT-2-USB adapter
- to use USB printers at parallel ports (LPT)
- LPT to USB cable
- DB25 male (connection PC, LPT)
- USB plug B (connection printer, USB)
- no software or drivers required
- with power supply (international version with adaptors for UK, US, EU)
- cable length 1.8 meter
- only for printing function

## LPT2USB cable

Adapter to connect printers and multifunction printers with an USB connection to the LPT (parallel) interface of PCs, measuring devices, laboratory and diagnostic devices, control panels, medical devices as well as all other products with a parallel interface.

### Connectors

1 x 25 pole SUB-D Plug IEEE-1284 - A  
1 x USB-B plug

### Power supply

110-240V / 50/60Hz  
Output 5Volt / about 100 mA

Cable length about 1.8m

**USB - interface**

USB-1.0 Low-Speed

USB-1.1 Low/ Full-Speed

USB-2.0 Low / Full-Speed

Plug: USB - B

USB cable length about 1.8m

Low-Speed 1.5 MBit/sec

Full-Speed 12 MBit/sec

**LPT (parallel) - interface**

01 Unidirectional

02 Bidirectional

03 1284.4 Bidirectional

Plug: 25 pole SUB-D IEEE-1284 - A

**Funktion printing**

SPP

ECP

IEEE1284

IEEE1284.4

**Bidirectional**

Nibble-Mode

Byte-Mode

ECP-Reverse

BECP-Reverse

**Note**

For all operating systems. No drivers and no software are required.

Scanning, PC fax and software toolboxes are not supported.

GDI printer (without own emulation) are not supported.

## More images



With power supply for international use



USA



EU



UK



## LPT to USB

