# USB 3.0 HUB with 4 ports DIN RAIL version with metall body, EX-1186HMVS-2

Product number EX-1186HMVS-2



### Product description

USB 3.0 HUB with 4 ports, DIN RAIL version, metall body for industrial applications, with 350W surge protection, USB 3.0 cable and DIN RAIL mounting kit included, type: EXSYS EX-1186HMVS-2

#### **Product information**

The rugged, industry standard EX-1186HMVS-2 USB hub with four USB 3.2 Gen 1 (previously called USB 3.0) outputs screwable and 15KV ESD overvoltage protection can be installed on the wall or on a 19-inch rack. The EX-1186HMVS-2 simultaneously supports 1.5A power for each port to charge iPhone, iPad, smartphone and tablets. It connects to a computer or server using the supplied USB 3.2 Gen 1 cable. It supports the Hi-Speed USB 3.0 data transfer rate of up to 5Gbps and is backward compatible to USB 1.1. It can be powered with USB bus power or via a two-wire terminal block connector (+7V to +24V).

- USB 3.2 Gen 1 Metal HUB with four Downstream ports
- 15KV ESD Surge Protection for all ports
- Power +7V up to +24V DC over the Terminal Block or DC Jack
- Power supply optionally also from the USB-BUS +5V (Bus-Power)
- Easy installation with the included DIN-Rail Kit
- · Compact industrial design
- Automatic recognition the data transfer rate for the attached external devices
- 1.5A current on all 4 ports
- Support USB Battery Charging: CDP and DCP for charge simultaneously iPhone, iPad version 4 or higher, Smartphone and Tablet's
- Automatic detection of input polarity on the current terminal block
- Rugged metal case
- 1 x LED Power Display
- Chipset: Genesys GL3523

#### **Packaging Contents**

EX-1186HMVS-2, USB 3.2 Gen 1 Cable, Din-Rail Kit, Manual

www.partsdata.de www.partsdata.eu www.partsdata.fr

Category: USB HUBInterface: USB 3.2 Gen 1Connections: A socketNumber of ports: 4

• Number of ports. 4

• Power connection: DC Jack + TB 7V-24V

• Design: Din-Rail

• Surge protection: 15KV ESD

Housing: Metal
Colour: black
Cable: Screwable
Cable length meter: 1,5
Application: Industrial
Charging power total: 30 W

## More images









