USB power supply with 1x USB A port 5V 1000mA white

Product number 44950



Product description

USB power supply with 1x USB A port 5V, small dimensions, 1000mA, white

USB-A Charger (5 W) white

1x USB-A port

Supply mobile phones, cameras, headphones, smartwatches, tablets and other devices with power via this USB charger. Just connect the compact charging plug directly to the socket. The USB power supply provides an interference-free connection and recharges USB devices in no time. Simply. All. You need!

- The USB power adapter charges devices with up to 1.0 A and allows for direct charging via socket.
- The USB charger plug is compatible with smartphones such as Apple iPhone, Samsung Galaxy, Xiaomi, LG, Huawei, as well as tablets, power banks and external batteries.
- The integrated protection electronics of the USB charging port shields connected devices against overcurrent, overcharging and overheating.
- Thanks to its compact design, the USB power supply fits in any bag and is an ideal travel companion.
- Due to the 100-240 V input voltage range, the Goobay USB power adapter can also be used abroad.
- The Goobay USB charger has 1x USB type A port with 5 W power.
- Input, Voltage Range: 100 240 (AC) V
- Input, type: Euro plug (Type C CEE 7/16) x in
- Output, type: USB 2.0 female (type A)
- Output, voltage (DC): 5 V (DC)
- Output, max. amperage: 1 A
- Number of outputs: 1 ports
- Output, voltage (DC): 5.0 V (DC)
- Output, max. amperage: 1.0 A
- Input current: 0.2 A

More images















Technische Daten

44949	44950
Eurostecker (Typ C, CEE 7/16), USB-A Buchse	
100-240 V~, 50/60 Hz, 0.2 A max.	
5 V , max. 1 A	
IP20	
=	
72,1 x 37,0 x 15,2 mm	
24,5 g	
schwarz	weiß
	Eurostecker (Typ C, CE 100-240 V~, 50/ 5 V 72,1 x 37,

Specifications		
Modell	44949	44950
Connectors	Euro male (type C, CEE 7/16), USB-A male	
Input	100-240 V~, 50/60 Hz, 0.2 A max.	
Output	5 V , max. 1 A	
Protection level	IP20	
Protection class	II .	
Dimensions	72,1 x 37,0 x 15,2 mm	
Weight	24,5 g	
Colour	black	white





