

# Serial cable DB9 male to DB9 female, 3m, e.g. for RS232

**Product number** C2-09-03

**Length** 3000mm



## Product description

Serial cable DB9 male / DB9 female, 3m, connection 1:1 every pin, shielded, e.g. for RS232

## Key features

- serial cable DB9 male to female
- length: 3m
- e.g. for RS-232, RS-422, RS-485
- CONNECTOR 1: DSub-9 male (DB9 plug, 9 pins)
- CONNECTOR 2: DSub-9 female (DB9 socket, 9 contacts)
- all 9 pins connected 1-to-1 (1-1, 2-2, 3-3 ... 9-9)
- with hand knurled screws on both sides (incl. slot for screwdriver)
- screw type UNC 4-40
- the UNC4/40 thread type is the international market standard for serial cables
- moulded quality plugs with good strain relief
- inner conductor material: copper (not CCA)
- gold-plated contacts
- shielded (flexible aluminium foil)
- cable outer diameter approx. 5mm
- colour: grey-beige
- cable type: round cable
- other product designations: DB9 extension, D-SUB 9 extension cable, DB9mf, RS232 connection, RS232 serial interface cable
- customs tariff no.: 85444290

## Environmental protection

- RoHS compliant (2011/65/EU, 2015/863/EU) Registration Evaluation Authorisation and Restriction of Chemicals
- UK CA compliant (SI 2012 No. 3032) The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations
- WEEE
- CE

## More images

